VOL. 609, NOS. 1+2 JOURNAL OF CHROMATOGRAPHY SEPTEMBER 18, 1992

CONTENTS

(Abstracts/Contents Lists published in Analytical Abstracts, Biochemical Abstracts, Biological Abstracts, Chemical Abstracts, Chemical Titles, Chromatography Abstracts, Current Awareness In Biological Sciences (CABS), Current Contents/Life Sciences, Current Contents/Physical, Chemical & Earth Sciences, Deep-Sea Research/Part B: Oceanographic Literature Review, Excerpta Medica, Index Medicus, Mass Spectrometry Bulletin, PASCAL-CNRS, Referativnyi Zhurnal, Research Alert and Science Citation Index)

REVIEW

Chiral separation by analytical electromigration methods
by J. Snopek (Prague, Czechoslovakia), I. Jelínek (Bloomington, IN, USA) and E. Smolková-Keulemansová (Prague, Czechoslovakia) (Received March 18th, 1992) 1

REGULAR PAPERS

Column Liquid Chromatography

Shock layer thickness in the case of wide bands of single components and binary mixtures in non-linear liquid chromatography
by Z. Ma and G. Guiochon (Knoxville and Oak Ridge, TN, USA) (Received May 21st, 1992) 19

Optimization of the experimental conditions and the column design parameters in displacement chromatography
by A. Felinger and G. Guiochon (Knoxville and Oak Ridge, TN, USA) (Received May 14th, 1992) 35

Application of non-porous silica ultramicrospheres to high-performance liquid chromatographic column packings
by F. Honda, H. Honda and M. Koishi (Hokkaido, Japan) (Received April 29th, 1992) 49

Short fibrous supports for preparative chromatographic separations of biomolecules
by J.-K. King and N. G. Pinto (Cincinnati, OH, USA) (Received June 1st, 1992) 61

Mechanism of retention of benzodiazepines in affinity, reversed-phase and adsorption high-performance liquid chromatography in view of quantitative structure–retention relationships
by R. Kaliszan, A. Kaliszan and T. A. G. Noctor (Montreal, Canada), W. P. Purcell (Memphis, TN, USA) and I. W. Wainer (Montreal, Canada) (Received June 2nd, 1992) 69

Gel chromatographic evaluation of the binding constant for the interaction of thiamin diphosphate with magnesium ion
by C. K. Booth, P. F. Nixon and D. J. Winzor (Brisbane, Australia) (Received May 27th, 1992) 83

Progress in the design of selectors for buckminsterfullerene
by C. J. Welch and W. H. Pirkle (Urbana, IL, USA) (Received June 16th, 1992) 89

9-Fluoreneacetyl-tagged, solid-phase reagent for derivatization in direct plasma injection
by F.-X. Zhou and I. S. Krull (Boston, MA, USA) and B. Feibush (Bellefonte, PA, USA) (Received May 13th, 1992) 103

Liquid chromatography–electrochemistry procedure for the determination of chlorophenolic compounds in pulp mill effluents and receiving waters
by E. C. V. Butler and G. Dal Pont (Hobart, Australia) (Received April 13th, 1992) 113

High-performance liquid chromatography of oligosaccharide alditols and glycopeptides on a graphitized carbon column
by M. Davies, K. D. Smith, A.-M. Harbin and E. F. Hounsell (Harrow, UK) (Received June 12th, 1992) 125

Silver ion high-performance liquid chromatography of derivatives of isomeric fatty acids
by B. Nikolova-Damyanova (Ayr, UK), B. G. Herslof (Stockholm, Sweden) and W. W. Christie (Ayr, UK) (Received April 21st, 1992) 133

Rapid method for the determination of glutathione transferase isoenzymes in crude extracts
by E. Martínez-Lara, P. Pascual, F. Toribio, J. López-Barea and J. A. Bárcena (Córdoba, Spain) (Received June 9th, 1992) 141

Separation of dideoxyribonucleosides in trace amounts by automated liquid chromatography and capillary electrophoresis
by R. P. Singhal, D. Hughbanks and J. Xian (Wichita, KS, USA) (Received May 5th, 1992) 147

Chiral high-performance liquid chromatographic separation of vinca alkaloid analogues on α_1-acid glycoprotein and human serum albumin columns
by I. Fitos, J. Visy and M. Simonyi (Budapest, Hungary) and J. Hermansson (Norsborg, Sweden) (Received May 7th, 1992) 163

(Continued overleaf)

Contents (continued)

Enhancement of detection sensitivity and cleanup selectivity for tobramycin through pre-column derivatization
by F. Lai and T. Sheehan (Walnut Creek, CA, USA) (Received June 9th, 1992) 173

Column liquid chromatography and microbiological assay compared for determination of cefadroxil preparations
by M.-C. Hsu, Y.-W. Chang and Y.-T. Lee (Taipei, Taiwan) (Received May 18th, 1992) 181

Chiral separation of nipecotic acid amides
by Z. Feng, R. Gollamudi and G. Han (Memphis, TN, USA) and Y. Tang and D. W. Armstrong (Rolla, MO, USA) (Received May 14th, 1992) 187

Normal-phase high-performance liquid chromatography with UV irradiation, morin complexation and fluorescence detection for the determination of organotin pesticides
by J. A. Stäb, M. J. M. Rozing, B. van Hattum, W. P. Cofino and U. A. Th. Brinkman (Amsterdam, Netherlands) (Received June 1st, 1992) 195

Determination of *Penicillium roqueforti* toxin by reversed-phase high-performance liquid chromatography
by K. Siemens and J. Zawistowski (Winnipeg, Canada) (Received April 24th, 1992) 205

Automated analyses of non-ionic surfactants in terms of hydrophobic and polyoxyethylated chain lengths
by T. Okada (Shizuoka, Japan) (Received May 13th, 1992) 213

Erythrocyte partitioning in dextran–poly(ethylene glycol) aqueous phase systems. Events in phase and cell separation
by H. Walter (Long Beach, CA, USA) and F. D. Raymond and D. Fisher (London, UK) (Received May 26th, 1992) 219

Gas Chromatography

Pair-wise interactions by gas chromatography. I. Interaction free enthalpies of solutes with non-associated primary alcohol groups
by K. S. Reddy, J.-Cl. Dutoit and E. sz. Kováts (Lausanne, Switzerland) (Received March 11th, 1992) 229

Factor analysis and experimental design in high-performance liquid chromatography. XIII. Correspondence factor analysis of the heterogeneity of the behaviour of congeneric solutes series studied on homogeneous OV phases in gas chromatography
by J. R. Chrétien (Orléans and Paris, France), M. Righezza (Orléans, France) and A. Hassani and B. Y. Meklati (Algiers, Algeria) (Received March 13th, 1992) 261

Liquid jet evolution from a gas chromatographic injector
by J. Qian, C.E. Polymeropoulos and R. Ulisse (Piscataway, NJ, USA) (Received March 6th, 1992) 269

Investigation of a scyllitol-derived (saturated) disc-shaped liquid crystal stationary phase in capillary gas chromatography
by A. Kraus, U. Schumann and G. Kraus (Halle/Saale, Germany) and B. Kohne and K. Praefcke (Berlin, Germany) (Received April 23rd, 1992) 277

Separation and identification of all isomeric *n*-nonadecenes by capillary gas chromatography on a mesogenic stationary phase with Fourier transform infrared and mass spectrometric detection
by L. Soják, I. Ostrovský and R. Kubinec (Bratislava, Czechoslovakia) and G. Kraus and A. Kraus (Halle/Saale, Germany) (Received February 24th, 1992) 283

Gas chromatographic identification of halogenated hydrocarbons by using the correlation between their retention and boiling points
by T. C. Gerbino, G. Castello and G. D'Amato (Genova, Italy) (Received May 18th, 1992) 289

Determination of trace amounts of carboxylic acids in ambient air by capillary gas chromatography–mass spectrometry
by S. Sollinger, K. Levsen and M. Emmrich (Hannover, Germany) (Received April 23rd, 1992) 297

Determination of sulphurated compounds in *Tagetes patula* cv. *nana* essential oil by gas chromatography with mass spectrometric, Fourier transform infrared and atomic emission spectrometric detection
by C. Bicchi, C. Frattini, G. Pellegrino and P. Rubiolo (Turin, Italy) and V. Raverdino and G. Tsoupras (Geneva, Switzerland) (Received May 5th, 1992) 305

Chromatographic analysis of *cis*- and *trans*-mevinphos in poisoned wildlife
by W. J. Allender (Rydalmere, Australia) and J. Keegan (Broadway, Australia) (Received May 19th, 1992) 315

Supercritical Fluid Chromatography

Comparison of methods to prevent restrictor plugging during off-line supercritical extraction
by M. D. Burford, S. B. Hawthorne and D. J. Miller (Grand Forks, ND, USA) and T. Braggins (Hamilton, New Zealand) (Received May 26th, 1992) 321

Supercritical fluid extraction of nitrated polycyclic aromatic hydrocarbons and polycyclic aromatic hydrocarbons from diesel exhaust particulate matter
by T. Paschke, S. B. Hawthorne and D. J. Miller (Grand Forks, ND, USA) and B. Wenclawiak (Siegen, Germany) (Received June 9th, 1992) 333

Planar Chromatography

High-performance thin-layer chromatographic mobility of porphyrins and their copper complexes on different adsorbents
by K. Saitoh, R. Kashiwa, R. Tada, C. Kiyohara and N. Suzuki (Miyagi, Japan) (Received April 23rd, 1992) 341

Identification and determination of mellein in cultures of the fungus *Septoria nodorum* (Berk.) by thin-layer and high-performance liquid chromatography
by J. Sachse (Zurich, Switzerland) (Received May 19th, 1992) 349

Critical thin-layer chromatography as a novel method for the determination of the molecular weight and compositional inhomogeneity of block copolymers
by B. G. Belenkii, E. S. Gankina, V. N. Zgonnik, I. I. Malchova and E. U. Melenevskaya (St. Petersburg, Russia) (Received March 5th, 1992) 355

Electrophoresis

Theoretical aspects of chiral separation in capillary electrophoresis. II. The role of organic solvent
by S. A. C. Wren and R. C. Rowe (Macclesfield, UK) (Received June 15th, 1992) 363

Effect of addition of glucose on micellar electrokinetic capillary chromatography with sodium dodecyl sulphate
by T. Kaneta, S. Tanaka, M. Taga and H. Yoshida (Sapporo, Japan) (Received April 28th, 1992) 369

Capillary electrophoretic analysis of oxindole alkaloids from *Uncaria tomentosa*
by H. Stuppner, S. Sturm and G. Konwalinka (Innsbruck, Austria) (Received June 9th, 1992) 375

Determination of C_8–C_{20} saturated anionic and cationic surfactant mixtures by capillary isotachophoresis with conductivity detection
by C. Tribet, R. Gaboriaud and P. Gareil (Paris, France) (Received April 22nd, 1992) 381

SHORT COMMUNICATIONS

Column Liquid Chromatography

Reversed-phase high-performance liquid chromatographic and derivative UV spectrometric determination of -phenylethylamine in phosphomycin
by G. Gazzani, G. Stoppini and C. Gandini (Pavia, Italy) and A. Bettero (Milan, Italy) (Received May 12th, 1992) . 391

High-performance liquid chromatographic method for the enantiomeric separation of the chiral metabolites of midazolam
by J. Drewe and E. Küsters (Basle, Switzerland) (Received June 19th, 1992) 395

Determination of folic acid in an elemental diet by high-performance liquid chromatography with UV detection
by H. Iwase (Kawasaki, Japan) (Received June 3rd, 1992) 399

Isolation and identification via high-performance liquid chromatography and thin-layer chromatography of benzoxazolinone precursors from *Consolida orientalis* flowers
by S. Özden, T. Özden, I. Attila, M. Küçükislamoglu and A. Okatan (Sögütlü/Trabzon, Turkey) (Received June 30th, 1992) 402

Application of two rapid techniques of column chromatography to separate the pungent principles of ginger, *Zingiber officinale* Roscoe
by R. Zarate, Sukrasno and M. M. Yeoman (Edinburgh, UK) (Received June 1st, 1992) 407

Gas Chromatography

Gas chromatographic separation of polycylic aromatic hydrocarbons on a mesomorphic copolysiloxane stationary phase
by H. Wang, T. Gen, R. Fu, J. Zhu, X. Wei, H. Li and J. Liu (Beijing, China) (Received May 26th, 1992) 414

Planar Chromatography

Thin-layer chromatography on polyacrylonitrile. V. Consideration of separation mechanisms of some aliphatic and aromatic amines
by T. J. Janjić, D. M. Milojković, A. Broćović, Ž. J. Arbutina and M. B. Ćelap (Belgrade, Yugoslavia) (Received June 11th, 1992) 419

(Continued overleaf)

Contents (continued)

Determination of hypericin and pseudohypericin by thin-layer chromatography-densitometry
by Th. Kartnig and I. Göbel (Graz, Austria) (Received June 26th, 1992) 423

Salting-out thin-layer chromatography of transition metal complexes. I. Investigation of the behaviour of mixed aminocarboxylato cobalt(III) complexes in silica gel
by G. Vučković, D. Miljević, T. J. Janjić and M. B. Ćelap (Belgrade, Yugoslavia) (Received July 1st, 1992) 427

BOOK REVIEW

High-performance liquid chromatography (by S. Lindsay), reviewed
by V. R. Meyer (Berne, Switzerland) 432

AUTHOR INDEX 433

ERRATA 436

INSTRUCTIONS TO AUTHORS 437